

# 2022 DOOSAN DX300LC-5

UNIT: DHKCECEAJM0021880

Price: \$0.00 USD

 [View Asset](#)



## GENERAL APPEARANCE

Year  
2022

Make  
Doosan

Model  
DX300LC-5

Serial  
DHKCECEAJM0021880

CE Mark  
No CE mark found

Pre-Operational Checks  
N/A: Engine Coolant. N/A: Engine(s) Oil. N/A: Transmission Fluid. N/A: Hydraulic Fluid. N/A: Fuel Level. Asset is sitting on an incline

Paint  
Damage

Body Panels  
No visible damage or missing components

Cab/Canopy Overhead Structural Framework  
No visible damage

Steps  
No visible damage or missing components

Hand Rails  
No visible damage or missing components

Exterior Lights  
1 Inoperable / damaged / missing

Serial Number / VIN  
DHKCECEAJM0021880

## **SAFETY**

Travel Alarm  
Operational

Horn  
Operational

Seat Belts  
Operational

Safety Lock Out/Stop  
Operational

Swing Brake  
Operational

Current Safety Manual  
Yes

Current Operator/Maintenance Manual  
Yes

## **CONTROL STATION**

Seat/Armrests  
No visible damage or missing components

Glass  
Windshield cracked

Cab Door  
No visible damage or missing components

Steering Controls  
Rating:  
Good

#### Hydraulic Controls

Rating:

Good

#### Drivetrain Controls

Rating:

Good

#### Dash Console

Rating:

Good

#### Engine Oil Pressure

The fault indicator shuts off after the engine oil pressure rises.

#### Warning Lights

Operational

#### Gauges

Operational

#### Rear View Camera

Camera operates as intended

#### Grade Control Display

Grade Control display intact

#### Air Conditioner

The ambient temperature is too cold to check

#### Heater

Operational

#### Limited Function Check (Control Station)

The main components are in place and operational as noted.



#### Control Station

Cab Details:, Air Conditioner, Control Pattern Changer

#### Hour Meter / Odometer

4601 hrs

#### Hour Meter /Odometer Usage Reading (Start)

4601 hrs

## ENGINE

#### A/C Compressor

In place; ambient temperature too cold to check operation

#### Blow-by (Subjective Visual Observation)

Recirculating system

#### Starter

Operational

#### Exhaust System

No visible damage or missing components

#### Radiator

Rating:  
Good

Oil Leaks  
No dripping leaks

Fuel Leaks  
No dripping leaks

Cooling System Leaks  
No dripping leaks

Limited Function Check (Engine)  
The engine started and ran.



Engine  
2021 US EPA Label, CARB Compliant, Requires Diesel Exhaust Fluid

## DRIVETRAIN

Left Drive Motor  
Rating:  
Good

Right Drive Motor  
Rating:  
Good

Left Final Drive  
Rating:  
Good

Right Final Drive  
Rating:  
Very Good

Limited Function Check (Drivetrain)  
The drivetrain was operational.

## HYDRAULICS

Pumps (Hydraulics)  
Rating:  
Good

Valves  
Rating:  
Good

Hydraulic Tank  
Rating:  
Good

Hydraulic Control Pattern Changer  
Rating:  
Very Good

Hoses (Hydraulics)  
Rating:

Good

Auxiliary Hydraulic Plumbing

Not operationally checked, End of stick

Swing Motor

Rating:

Good

Hydraulic Center Swivel

Rating:

Good

Boom Lift Cylinder(s)

Rating:

Good

Stick Cylinder

Rating:

Good

Bucket Cylinder

Rating:

Good

Limited Function Check (Hydraulics)

The hydraulic system was operational.

## **CHASSIS**

Boom/Stick Details

Standard Boom, 10 ft 2 in Stick, Auxiliary Hydraulic Plumbing

Boom Condition

Rating:

Good

Stick Condition

Rating:

Good

Boom Base Pin And Bushings

Rating:

Good

Pin And Bushings Boom To Stick

Rating:

Good

Turntable Bearing

Rating:

Good

Bottom Covers

Rating:

Good

Limited Function Check (Chassis)

The main components were operational in a limited check.

# UNDERCARRIAGE

Left Roller Frame

Rating:

Good

Left Track Tensioner

Rating:

Good

Left Track Pads

23.5 in Wide Triple Grouser

Rating:

Good

Left Grouser Height

35 mm

Left Track Links

115 mm

Left Track Bushings

65 mm

Left Carrier Rollers

2 carrier rollers #1 140 mm #2 140 mm

Left Bottom Rollers

9 Bottom Rollers #4 160 mm #5 160 mm #6 160 mm #9 160 mm

Left Idler

570 mm

Left Sprocket

Rating:

Good

Right Roller Frame

Rating:

Good

Right Track Tensioner

Rating:

Good

Right Track Pads

23.5 in Wide Triple Grouser

Rating:

Good

Right Grouser Height

35 mm

Right Track Links

115 mm

Right Track Bushings

65 mm

Right Carrier Rollers

2 Carrier Rollers #1 140 mm #2 140 mm

Right Bottom Rollers

9 Bottom Rollers: #4 160 mm #5 160 mm #6 160 mm #9 160 mm Unable to measure 1,2,3,7,&8 rollers

Right Idler

570 mm

Right Sprocket

Rating:

Good

## RECONDITIONING

Windshield: cracked

\$1,500

Paint: Damaged

\$2,500

Exterior Lights: 1 Inoperable

\$300

**Total**

**\$4,300**

## UNIT SPECS

Customer

Wells Fargo (IMS)

Year

2022

Make

Doosan

Model

DX300LC-5

**INSPECTION LOCATION**

**CURRENT LOCATION**



**Wells Fargo (IMS)**

Lemont Furnace, PA 15456  
555-555-5555



**Wells Fargo (IMS)**

Lemont Furnace, PA 15456  
555-555-5555

## VERSION HISTORY

---

✓ 05/06/2026

---