


2019 DEVELON DX350LC-5

UNIT: DWGCECEBKK1020375














UNIT SPECS

Customer	Wells Fargo (IMS)	Year	2019
Make	Develon	Model	DX350LC-5

LOCATION

Wells Fargo (IMS) 

 Please call Pickup Support for location information

GENERAL APPEARANCE

Year

2019

Make

Develon

Model

DX350LC-5

Serial

DWGCECEBKK1020375

Pre-Operational Checks

Confirm Fluids Checked: Engine Coolant. Confirm Fluids Checked: Engine(s) Oil. Confirm Fluids Checked: Hydraulic Fluid. Confirm Fluids Checked: Fuel Level

Paint

Damage

Body Panels

Left Side Cover damaged, Battery box damaged, Right side cover damaged

Cab/Canopy Overhead Structural Framework

No visible damage

Steps

No visible damage or missing components

Hand Rails

Cab entry hand rail damaged, Tool box step hand rail damaged

Exterior Lights

3 Inoperable / damaged / missing

Serial Number / VIN

DWGCECEBKK1020375

SAFETY

Travel Alarm
Operational

Horn
Operational

Seat Belts
Operational

Safety Lock Out/Stop
Operational

Current Safety Manual
No

Current Operator/Maintenance Manual
No

CONTROL STATION

Seat/Armrests
Operator seat cover torn

Glass
No visible damage or missing components

Mirrors
Missing

Cab Door
No visible damage or missing components

Steering Controls
Rating:
Good

Hydraulic Controls

Rating:
Good

Drivetrain Controls

Rating:
Good

Dash Console

Rating:
Good

Engine Oil Pressure

The fault indicator shuts off after the engine oil pressure rises.

Warning Lights

Operational

Gauges

Operational

Rear View Camera

Camera operates as intended

Air Conditioner

The ambient temperature is too cold to check

Heater

Operational

Limited Function Check (Control Station)

The main components are in place and operational as noted.



Control Station

Cab Details:, Air Conditioner, Air Ride Seat, Control Pattern Changer

Hour Meter / Odometer

3744 hrs

Hour Meter /Odometer Usage Reading (Start)

3744 hrs

ENGINE

A/C Compressor

In place; ambient temperature too cold to check operation

Blow-by (Subjective Visual Observation)

Recirculating system



Starter

Operational

Exhaust System

No visible damage or missing components

Radiator

Rating:

Good

Oil Leaks

No dripping leaks

Fuel Leaks

No dripping leaks

Cooling System Leaks

No dripping leaks

Limited Function Check (Engine)

The engine started and ran.



Engine

US EPA Label not legible Requires Diesel Exhaust Fluid

DRIVETRAIN

Left Drive Motor

Rating:

Good

Right Drive Motor

Rating:

Good

Left Final Drive

Rating:

Good

Right Final Drive

Rating:

Good

Limited Function Check (Drivetrain)

The drivetrain was operational.

HYDRAULICS

Pumps (Hydraulics)

Rating:

Good

Valves

Rating:

Good

Hydraulic Tank

Rating:

Good

Hydraulic Control Pattern Changer

Not checked

Hoses (Hydraulics)

Rating:

Good

Auxiliary Hydraulic Plumbing

Operational, End of stick

Swing Motor

Rating:

Good

Hydraulic Center Swivel

Rating:

Good

Boom Lift Cylinder(s)

Rating:

Good

Stick Cylinder

Rating:

Good

Bucket Cylinder

Rating:

Good

Thumb Cylinder

Rating:

Good

Limited Function Check (Hydraulics)

The hydraulic system was operational.

CHASSIS

Boom/Stick Details

Standard Boom, 10 ft 8 in Stick, Auxiliary Hydraulic Plumbing

Boom Condition

Rating:

Good

Stick Condition

Rating:

Good

Boom Base Pin And Bushings

Rating:

Good

Pin And Bushings Boom To Stick

Rating:

Good

Pin And Bushings Stick To Bucket

Rating:

Good

Turntable Bearing

Rating:

Good

Bottom Covers

Rating:

Good

Limited Function Check (Chassis)

The main components were operational in a limited check. Grease tubes broken

UNDERCARRIAGE

Left Roller Frame

Rock guards damaged

Rating:

Good

Left Track Tensioner

Rating:

Good

Left Track Pads

31.5 in Wide Triple Grouser

Rating:

Good

Left Grouser Height

33 mm

Left Track Links

116 mm

Left Track Bushings

63 mm

Left Carrier Rollers

2 carrier rollers #1 139 mm #2 138 mm

Left Bottom Rollers

9 Bottom Rollers #1 175 mm #2 175 mm #4 175 mm #5 175 mm #6 175 mm #8 175 mm #9 175 mm

Left Idler

27 mm

Left Sprocket

Rating:

Good

Right Roller Frame

Rock guards damaged

Rating:

Good

Right Track Tensioner

Rating:

Good

Right Track Pads

31.5 in Wide Triple Grouser

Rating:

Good

Right Grouser Height

34 mm

Right Track Links

115 mm

Right Track Bushings

64 mm

Right Carrier Rollers

2 Carrier Rollers #1 135 mm #2 135 mm

Right Bottom Rollers

9 Bottom Rollers: #1 175 mm #2 175 mm #4 175 mm #5 175 mm #6 175 mm #8 175 mm #9 175 mm

Right Idler

29 mm

Right Sprocket

Rating:

Good

SPECIALTY

Thumb

Hydraulic thumb

Rating:

Good

Excavator Bucket Condition

Rating:

Good

Bucket Cutting Edge/Shanks/Teeth

Teeth missing

Rating:

Fair

Front Attachment

46 in Digging Bucket

RECONDITIONING